Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050014489"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 10:51
L2	94902	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L3	24471942	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L4	74939	L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L5	490	server same network same request\$4 same (modif\$4 near3 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L6	23	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L7	7205	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L8	436	L4 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L9	6963	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near5 (as near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00

			•			
L10	167581	first same second same (server network (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L11	559	L9 same L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L12	559	L9 same L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L13	94902	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L14	24471942	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L15	74939	L14 and L13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L16	34	L12 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L17	18792	(sir sia (session near2 initiation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L18	630360	(service near3 load\$4) sl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L19	38	L17 same L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/03/04 11:00

L20	2878	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L21	643	((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L22	27	L20 and L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
L23	4262	(portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 (database server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:01
L24	1471	((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/04 11:01
L25	74	L23 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:01
L26	183	(first near3 network) and (second near3 network) and ((\$phone pda celluar) near4 server) and content. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:02
S1	85589	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 10:51
S2	24155523	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:55
S3	70259	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:19

			,			
S4	411	server same network same request\$4 same (modif\$4 near3 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:20
S5	18	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S6	14731	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:17
S7	0	request\$4 near4 (from near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:37
S8	1	(from near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:38
<b>S9</b>	584	(modif\$5 near4 request\$\$) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:39
S10	4	S6 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:39
S11	5767	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:44
S12	369	S3 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S13	2	"20040203599"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:07

S14	5557	(portable mobile cellular handheld	US-PGPUB;	OR	ON	2005/04/07 16:28
314	3337	hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near5 (as near3 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:26
S15	142253	first same second same (server network (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:21
S16	391	S14 same S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S17	85589	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:22
S18	24155523	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:22
S19	70259	S18 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:22
S20	22	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S21	162485	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (access\$4 request\$4) same (network server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:30
S22	27051	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (access\$4 request\$4) same (network server) same first and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:32

S23	0	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (request\$4 access\$4) same (network server provider (resource near3 content)) same from	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:35
S24	166941	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (request\$4 access\$4) same (network server provider (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:35
S25	111358	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (request\$4 access\$4) with (network server provider (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/07 16:35
S26	93001	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near10 (request\$4 access\$4) near10 (network server provider (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 20:30
S27	2	"20050014489"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 22:25
S28	121	msisdn same (key (key near2 word))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:12
S29	15329	(sir sia (session near2 initiation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:44
S31	509721	(service near3 load\$4) sl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:00

		LASI Searc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•		
S32	33	S29 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S33	24156018	@ad<="20030701" or @rlad<="20030701" or @ptad<="220030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:01
S34	113	S28 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:01
S35	83	msisdn same (key (key near2 word)) same (replac\$4 (as neae3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:13
S36	77	S33 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:13
S37	33	S29 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:45
S38	31	S33 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 15:46
S42	23	(indicat\$4 near5 server) same ((plac\$4 locat\$4 type) near4 (data content)) same (username id identif\$4) same (password pin key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 15:50
S43	2	"20030105864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:42
S44	2	"20040107109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:47

			sco. ,			
S45	7	(service near2 load\$4) same (password id username) same (id identif\$4) same ((place locat\$4 indicat\$4) near3 (content data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:53
S46	22	((service near2 load\$4) sl) same (password id username) same ((place locat\$4 indicat\$4) near3 (content data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:56
S47	505872	((service near2 load\$4) sl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:56
S48	1209	((service near2 load\$4) sl) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:56
S49	174	((service near2 load\$4) sl) same server same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:14
S50	2	((service near2 load\$4) sl) same server same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:15
S51	4	((service near2 load\$4) sl) same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:17
S52	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near3 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:18
S53	5	((service near3 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near3 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:19
S54	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near5 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:20

		ZAOT Scare	,			
S55	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:27
S56	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:22
S57	4	((service near2 load\$4) sI) same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:21
S58	85	((service near2 load\$4) sl) same url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:22
S59	71	url same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:30
S60	1	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:21
S61	219	((service near2 load\$4) sl) same (http url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:24
S62	112	(url http) same (msisdn (mobile near3 subscriber near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:22
S63	1	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:23
S64	1	S61 same S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:23

			sco. y			
S65	4	S47 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:24
S66	67	((service near2 load\$4) sl) and (msisdn (mobile near3 subscriber near3 international near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:27
S67	11	url same http same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:30
S68	35	http same msisdn same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 22:48
S69	37	msisdn same (mobile near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 22:48
S70	2	"20030028612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 00:10
S71	2	"20030028612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 00:10
S72	88948	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:16
S73	24331028	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:17
S74	71948	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:17

S75	4222	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 server) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:29
S76	475	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:20
S77	340	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serv\$2) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:30
S78	92	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:46
S79	92	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:48
S80	92	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:49
S81	61	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) same (network (gate near3 way) wap proxy) same internet same ((mobile near4 international) msisdn number identif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:56
S82	308	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) same (network (gate near3 way) gateway wap proxy) same ((mobile near4 international) msisdn number identif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:20

	1		<del>-</del>	<del> </del>	T	
S83	80	"455"/\$.ccls. and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:58
S84	1	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) same ((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:25
S85	2522	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:39
S86	538	((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:39
S87	25	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S88	89082	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:55
S89	24332788	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:55
S90	2528	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:06
S91	540	((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:56

		EAST Scare	,			
S92	25	S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:56
593	2815	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:33
S94	46	destinat\$4 with ((gateway network) near3 address) with (msisdn (mobile near4 international) (mobile near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:10
S95	3	S93 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:08
S96	133	destinat\$4 same ((gateway network) near3 address) same (msisdn (mobile near4 international) (mobile near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:14
S97	2	S93 same S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:11
S98	6	S93 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:11
S99	223	destinat\$4 same ((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:34
S10 0	75139	(as serving serve serves act) near3 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:32
S10 1	1	S99 same S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:18

S10 2	68	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:18
S10 3	3773	(portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 (database server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:34
S10 4	1283	((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:35
S10 5	5	S103 same S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:38
S10 6		S103 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S10 7	3773	(portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 (database server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S10 8	1283	((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S10 9	66	S107 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:01
S11 0	12	(request\$4 near4 messag\$2) with includ\$4 with ((network gateway internet) near4 address\$4) with (((number identif\$6 international) near4 mobile) msisdn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:21
S11 1	110	(request\$4 near4 messag\$2) same ((network gateway internet) near4 address\$4) same (((number identif\$6 international) near4 mobile) msisdn min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:38

S11 2	2	"20030105864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 16:24
S11 3	2	"6292833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 19:54
S11 4	2	"20040083114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 19:55
S11 5	2	"20020123335"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 19:55